DE.	FΤ	FY	TE	CT.	IN	\mathbf{C}
\mathbf{r}	r I 2		- PA	71	III N	ΥĮ

Administrative Procedure #822.A

Reflex testing is a necessary follow-up for the testing listed below. This testing is required to confirm quantitative positive preliminary testing and/or specified screening tests, or to provide Pathology Physician review and interpretation with written report.

Test	Condition(s)	Reflex Test(s)	
IMMUNOLOGY & FLOW CYTOMETRY			
Anti-Mitochondrial	Positive	AMA Titer	
Antibody (AMA)			
Anti-Smooth	Positive	ASMA Titer	
Muscle Antibody			
(ASMA)			
Anti-Parietal Cell	Positive	APCA Titer	
Antibody (APCA)			
Protein	Suspicious Pattern	Immunofixation Electrophoresis (IFE)	
Electrophoresis			
(PEP)			
Flow Cytometry	All	Pathologist Interpretation	
Protein	All	Pathologist Interpretation	
Electrophoresis			
(PEP)			
Immunofixation	All	Pathologist Interpretation	
Electrophoresis			
(IFE)			
HEMATOLOGY & H	EMOSTASIS		
Hemoglobin Screen	Abnormal	Gel Electrophoresis and/or KB,	
		Solubility, Peripheral Blood Smear,	
		Send out for Hemoglobin Analysis	
		confirmation using an alternative method	
		per SOP.	
Gel Electrophoresis	Abnormal	KB and/or Solubility, Peripheral Blood	
		Smear, Send out for Hemoglobin Analysis	
		confirmation using an alternate method	
		per SOP	
Hemoglobin	First time abnormal hemoglobin analysis	Pathologist Interpretation	
Analysis, No			
Interpretation			
Rapid Malaria	Positive	Blood parasite screen	
Screen		•	
ADAMTS-13	<30%	ADAMTS-13 inhibitor assay/titer	
activity			
ADAMTS-13	< 0.7 Inhibitor Units	ADAMTS-13 Antibody	
inhibitor		•	
Coagulation profile	Bleeding or thrombophilia	Pathologist Interpretation	
studies	work-ups		
Dilute Russell's	Prolonged	DRVVT Confirmation test	
Viper Venom Time			
(DRVVT) Screen			
Thrombin Time	Prolonged	Protamine Correction or Plasma Mixing	

REFLEX TESTING

Test	Condition(s)		Reflex Test(s)	
			Test	
Von Willebrand Disease Testing	Per Pathologist discretion based on results and clinical history		VWF multimer	
CBC with Diff	Abnormal		Manual Differential	
	Synovial Fluid All		Pathologist Interpretation	
Fluid Studies	CSF	Previous or current diagnosis of leukemia/lymphoma or suspicious cell(s) in differential	Pathologist Interpretation	
	Body Fluid	Suspicious cell(s) in differential	Pathologist Interpretation	
Fluid Studies	First time mal	ignant, blasts or "other" cells seen	Cytology	
Peripheral Blood Smear		Abnormal	Pathologist Interpretation	
Heparin Induced Thrombocytopenia (HIT)	Positive		Serotonin Release Assay (SRA)- Send Out	
TRANSFUSION SE	RVICES			
Antibody Screen		Positive	Antibody Identification (ID), Red Cell Antigen phenotype, Direct Coombs (DAT), Select Cell Antibody Screen, Titer (OB patient), Pathologist Review; Send out ABID; Weak D analysis; Partial D analysis, Genotyping, Elution	
Blood Type (ABO/Rh)	Blood Type Discrepancy		A1 lectin, DAT, Antibody Screen, Red Cell Antigen Typing (phenotype/genotype); Weak D analysis, Partial D analysis, Pathologist Review	
Fetal Bleed Screen		Positive	Kleihauer-Betke, Pathologist Review	
Direct Coombs (DAT) Comprehensive	Positive		Antibody Screen, Elution, Antibody ID; Red Cell Antigen Genotyping, Pathologist Review	
Cord Blood Test	Incompatibility l	between Mom & Baby (ABO and/or Non- ABO)	MAIS, Antibody Screen, Antibody ID, Red Cell Antigen phenotype, Pathologist Review	
Transfusion Reaction Panel (TR Post)	Suspe	ected transfusion reaction	Pathologist Review; DAT comprehensive, Transfusion RXN LG/SML VOL, GS	
AB ID (Antibody Identification)	Antibody detected and/or difficult crossmatch		Pathologist Review, Patient Antigen phenotyping	
Miscellaneous Blood Bank Processes	expiration date; t use of outdated b blood pr	clude use of rare antisera beyond ransfusion of Rh incompatible units; lood, Evaluation of special testing or roduct requirements, Market /Lookback from blood supplier	Pathologist Review antigen phenotyping, QA review for Market withdrawal	
Serologic Crossmatch	Incompatible crossmatch or auto control positive		Pathologist Review; DAT; Send Out ABID	
Blood Type (Bone Marrow & HPC	ABO/Rh Incompatibility between donor and recipient. Known alloantibodies		ABO and/or Alloantibody Titer(s)/ Isoagglutinin titers, Pathologist Review,	

REFLEX TESTING

Test	Condition(s)	Reflex Test(s)
Allogeneic		antigen phenotyping
Transplants)		
Blood Type (Rh)	Weak D	Weak D analysis; Partial D analysis, Pathologist Review
CHEMISTRY		
Hepatitis B Surface	Reactive	Neutralization Test
Antigen		
Hepatitis B Core	Reactive	Hepatitis B Core Antibody, IgM
Antibody, Total,		
Reflex		
	Color other than "none" or "yellow", clarity other than	
	"clear", trace or greater for leukocyte esterase, blood,	
Urinalysis-Complete	protein, or positive for nitrite	Microscopic Analysis
HIV Rapid	Reactive	HIV Antibody/Antigen Combo Test
(Needlestick)		
HIV	Reactive	HIV Confirmation
Antibody/Antigen		
Combo Test		
ED Preg Syphilis	Reactive	Syphilis IgG/IgM Ab with Reflex
Scrn		
Syphilis IgG/IgM	Reactive	Confirmation by RPR and/or TPPA
Ab with Reflex		
Amphetamine	Positive except ED patient	Amphetamine/ Methamphetamine
Screen, Urine		Confirmation
Acid/Neutral &	Positive	Confirmation by Gas Chromatography
Basic Blood Drug		and/or Mass Spectrometry
Screen GC		
Toxicology Basic	Positive	Confirmation by Gas Chromatography
Urine Drug Screen		and/or Mass Spectrometry
Comprehensive	Positive	Confirmation by Gas Chromatography
Urine Drug Screen		and/or Mass Spectrometry
Anti DNA Ab IoC	Positive	doDNA (Crithidia lucilica) Ab IoC by
Anti-DNA Ab, IgG w/Reflex to IFA	Positive	dsDNA (Crithidia luciliae) Ab IgG by IFA
Titer		II'A
CYTOLOGY		
ThinPrep© PAP	Age >=25 & is Atypical Squamous Cells of	HPV
тини тере тти	Undetermined Significance (ASCUS)	TH V
MICROBIOLOGY		
Ova & Larva	Potential parasite seen, non-helminth ova or larva.	Parasite Stain for identification or send
Helminth Test	r	specimen to reference lab for
		identification
GI (Gastrointestinal)	Positive- Bacterial pathogen	Stool Culture and susceptibility testing
Panel	1	when appropriate per protocol
GI (Gastrointestinal)		C. difficile Diagnostic Test when
Panel	Positive C. diff target	appropriate per protocol
Group B Strep PCR	Detected in patient with penicillin allergy	Susceptibility testing performed per
Group D Sucp I CK	Detected in patient with penternin anergy	busceptionity testing performed per

REFLEX TESTING

Test	Condition(s)	Reflex Test(s)	
		protocol	
Cryptococcal Antigen, CSF Source	Initial Positive	Culture Bacterial (includes gram stain) and Culture Fungal.	
Cryptococcal Antigen	Positive	Cryptococcal Antigen Titer	
Culture, Bacti/Fungal/AFB	Potential pathogen as detailed in protocols by specimen source	Pathogen identification and/or susceptibility testing	
Culture, Bacti/Fungal/AFB	Growth of organism demonstrating unusual or concerning antimicrobial resistance	Test by alternate susceptibility or PCR method in house or send isolate to reference lab for confirmation	
Culture, Bacti/Fungal/AFB	Growth of organism not identified by routine laboratory methods	Test by alternate method in house or send isolate to reference lab for identification	
Culture, Bacti	Specimen is lower respiratory, body fluid, tissue, wound, or other miscellaneous source	Gram Stain	
Culture, Bacti	Specimen is Bronchial Brushing, Transtracheal/ Percutaneous Lung Aspirate, Lung Biopsy Tissue, Bronchial Alveolar Lavage(BAL), or swab from any of the above sources	Culture, Legionella	
Culture, Blood	Growth of bacteria or yeast	Blood Culture ID by PCR and/or susceptibility testing when appropriate per protocol	
Culture/Smear, AFB	Smear positive for AFB	MTb Nucleic Acid Amplification Test performed on all first-time smear positive patients OR 6 months from previous assay	
MTB, PCR	All	AFB Smear and Culture	
C. difficile Diagnostic Test	Discrepant Antigen vs Toxin Result	C. difficile Surveillance PCR	
MOLECULAR			
PATHOLOGY			
Cystic Fibrosis mutation analysis	All	Pathologist Interpretation	
HSV 1 & 2 CSF	All	Pathologist Interpretation	
Hereditary Hemochromatosis	All	Pathologist Interpretation	
HER2 FISH	All	Pathologist Interpretation	
CLL FISH	All	Pathologist Interpretation	
SURGICAL PATHOLOGY			
	Any Solid Tumor Malignancy New diagnosis of primary or metastatic breast cancer Diagnosis of breast cancer after neoadjuvant chemotherapy	HER2 IHC ER, PR, AR, Ki67 and HER2/neu by IHC; Her2 FISH for invasive cancers	

REFLEX TESTING

Test	Condition(s)	Reflex Test(s)
	New Diagnosis of colon cancer	DNA Mismatch repair testing by IHC
		(MLH1, MSH2, MSH6, PMS2); testing
		for BRAF if MLH1 and/or PMS2 is
		abnormal.
	Small bowel carcinoma	MMR IHC
	Squamous Cell Carcinoma of Oropharynx, head and neck.	P16, HER2 IHC
	Squamous Cell Carcinoma or Dysplasia of Anogenital	P16
	Region (including cervix, vulva, anus, penis)	
	Heart Biopsy- Transplant	Trichrome (HISTO), CD68 (IHC), and C4D (IF)
	New diagnosis of primary or metastatic lung cancer	PD-L1 (IHC)
	Kidney-Biopsy Native	PAS, Jones, Trichrome (HISTO)
		IgG, IgA, IgM, C3, C1q, kappa, lambda,
		fibrinogen, albumin, and FS-H&E
		Electron Microscopy (Send-Out)
	Kidneys-Biopsy Transplant	PAS and Trichrome (HISTO)
		IgG, IgA, IgM, C3, C1q, fibrinogen,
		albumin, FS-H&E, C4d (IF), and SV40
	Muscle Biopsies	FS-Trichrome, FS-PAS, FS-H&E, Oil
		Red O, NADH, ATPase pH 4.3, ATPase pH 9.4, COX/SDH (combined stain), Acid
		Phosphatase, NSE (non-specific esterase),
		Myophosphorylase, Alkaline phosphatase,
		SDH, ATPase pH4.6
		SS11, 1111 use prio
	Nerve Biopsies	Toluidine blue stain of glutaraldehyde
	Name I last and	fixed tissue on thick section (Send-Out)
	Neuroblastoma All Gliomas	N-MYC FISH (Send-Out)
	All pituitary adenomas	IDH1, ATRX, p53, Ki67 Ki67, cam5.2 (In house)
	An pituitary adenomas	Pit1, TPit, SF1, GH, Prolactin, TSH,
		ACTH (Send-Out)
	Ependymomas of Posterior Fossa	H3K27me3 (IHC Send-Out)
	All Meningiomas	Ki67
	Liver Biopsy	Reticulin, Trichrome, Iron, PAS and
		PASD Stains. (HISTO)
	New diagnosis of endometrial cancer	DNA Mismatch repair testing by IHC
		(MLH1, MSH2, MSH6, PMS2); testing
		for promoter methylation if MLH1 and/or
		PMS2 is abnormal, p53 (IHC)
	Sentinel lymph nodes, Melanoma of skin	Melan-A (IHC) or HMB-45 (IHC) or
		SOX10 (IHC) each block

REFLEX TESTING

Administrative Procedure #822.A

Condition(s) **Test** Reflex Test(s) Sentinel lymph nodes, gynecologic tract cancer Pancytokeratins (IHC, x2; ultrastaging) Endometrial Carcinoma For Non-Serous Carcinoma: p53 and MMR (IHC). POLE Sequencing (Stanford Send-Out) For Serous Carcinoma: HER2/neu (IHC and FISH). New Diagnosis of primary or metastatic melanoma BRAF-V600E (any tissue) Carcinoma of the ovary P53 and Mismatch repair analysis by IHC for all endometrioid and clear cell carcinomas POLE Sequencing (Stanford Send-Out), HER2 IHC. P16 and p53 (IHC) Vulvar Carcinoma P53 or Her2 (IHC and FISH) Mucinous neoplasm of ovary Tenosynovial biopsy, Positive Congo red stain for Send-out to Mayo Clinic for subtyping by amyloid mass spectrometry HER2 IHC Non-small cell carcinoma of lung Bone Marrow Bone Marrow Clot Section: Iron, Reticulin. Bone Marrow Core Biopsy: PAS and Reticulin. Fingernail and Toenail Alcian Blue-PAS. Temporal Artery, Biopsy Elastic-EVG. MGMT promoter All Pathologist Interpretation methylation (Send-Out) **TERT Mutation** All Pathologist Interpretation (Send-Out) IDH1/IDH2 All Pathologist Interpretation **Mutation Analysis** (Send-Out) CDKN2A FISH All Pathologist Interpretation (Send-Out) **BRAF V600E** All Pathologist Interpretation **Mutation Analysis** (Send-Out) H3K27M Mutation All Pathologist Interpretation (IHC) (Send-Out) H3K27me3 (IHC) Pathologist Interpretation All (Send-Out) H3G34 R/V (IHC) All Pathologist Interpretation (Send-Out) EWSR FISH (Send-All Pathologist Interpretation Out)

REFLEX TESTING

Administrative Procedure #822.A

Test	Condition(s)	Reflex Test(s)
DDIT3 FISH (Send-	All	Pathologist Interpretation
Out)		
SYT FISH (Send-	All	Pathologist Interpretation
Out)		
USP6 FISH (Send-	All	Pathologist Interpretation
Out)		
POLE Sequencing	All	Pathologist Interpretation
(Stanford Send-Out)		

This list of reflex testing has been reviewed and approved by the UCDMC Medical Staff Executive Committee.

9/20/2024 <u>EFF17364AE314C0....</u>

Sarah E. Barnhard, MD Chair, Medical Staff Executive Committee Date